

FIG. 1A




FIG. 1B




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5





FIG. 6



5/14

FIG. 7




FIG. 8

MAGNETIC SHIELD LAYER THICKNESS $d/\mu\text{m}$	CENTRAL PORTION MAGNETIC FIELD STRENGTH /Oe
200	282
250	219
270	193
300	150
320	117
350	59
400	18
600	13
800	10

FIG. 9




FIG. 10

LENGTH ON ONE SIDE OF THE MAGNETIC SHIELD LAYER L/mm	CENTRAL PORTION MAGNETIC FIELD STRENGTH /Oe
28	282
25	247
20	173
17	98
15	20
10	16

FIG. 11






FIG. 12





FIG. 13A



**FIG. 13B**




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18





FIG. 19



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**